

# Discussion

Danning Liu


2022.06.01



# Last items

- Background Estimation in theory side :

- Only consider Standard Model  $Z\gamma$  process



- Technique preparation

- README to customize the generation can be found here : `/besfs/groups/higgs/users/moxin/slci/wz_project/generator` — **empty**
- [Guidance to customize generation using WHIZARD](#), need validations
- Also can email to Gang Li, to help finish the production





# Official samples

- Information of [Official samples](#)
  - Generator : MC generator [WHIZARD](#), version 1.95
  - Classification : according to the final states
    - Unified luminosity of  $5 \text{ ab}^{-1}$
    - Center-of-mass energy : 240 GeV
  - All samples are fed to CEPC full simulation and reconstruction chain, work as official samples for physics analysis and detector simulation
  - Categories
    - **Higgs signal**
    - 2 fermions
    - 4 fermions
    - If users want to customize the generation, all necessary materials are located : `/besfs/groups/higgs/users/moxin/slci/wz_project/generator`





# 2-fermion background

- Existing 2-fermion samples
  - Bhabha scattering — sub-dominant
- Quark final states — dominant
- Lepton final states
  - Muons
  - Taus
  - Neutrinos
- No background samples with photon, may need to generate later






Table 6: The cross section for the 2 fermions background

Process	Cross section [fb]	Error [fb]	ILC result [fb]
uu	9995.35	23.2	10110.43
dd	9808.71	25.7	10010.07
cc	9974.20	28.9	10102.75
ss	9805.39	74.7	9924.40
bb	9803.04	25.5	9957.70
qq	49561.30	120.0	50105.35
e2e2	4967.58	35.0	4991.91
e3e3	4374.94	10.5	4432.18
bhabha	24992.21	41.50	24937.95






# 4-fermion background

- Also need to consider — since only leading and sub-leading leptons are chosen, but not requiring lepton number to be exactly 2
  - Grouped together as “hadronic”, “leptonic” and “semi-leptonic”
  - 4 fermions can be combined into 2 bosons : Z or W ( ZZ, WZ, single Z or single W )

sw_l0mu	5 ab <sup>-1</sup>	ww_h0uubd	5 ab <sup>-1</sup>	zz_sl0mu_down	5 ab <sup>-1</sup>
sw_l0tau	5 ab <sup>-1</sup>	ww_h0uusd	5 ab <sup>-1</sup>	zz_sl0mu_up	5 ab <sup>-1</sup>
sw_sl0qq	5 ab <sup>-1</sup>	ww_l0ll	5 ab <sup>-1</sup>	zz_sl0nu_down	5 ab <sup>-1</sup>
sze_l0e	5 ab <sup>-1</sup>	ww_sl0muq	5 ab <sup>-1</sup>	zz_sl0nu_up	5 ab <sup>-1</sup>
sze_l0mu	5 ab <sup>-1</sup>	ww_sl0tauq	5 ab <sup>-1</sup>	zz_sl0tau_down	5 ab <sup>-1</sup>
sze_l0nunu	5 ab <sup>-1</sup>	wwbosons	5 ab <sup>-1</sup>	zz_sl0tau_up	5 ab <sup>-1</sup>
sze_l0tau	5 ab <sup>-1</sup>	zz_h0cc_not	5 ab <sup>-1</sup>	zzbosons	5 ab <sup>-1</sup>
sze_sl0dd	5 ab <sup>-1</sup>	zz_h0dtdt	5 ab <sup>-1</sup>	zzorww_h0cscs	5 ab <sup>-1</sup>
sze_sl0uu	5 ab <sup>-1</sup>	zz_h0utut	5 ab <sup>-1</sup>	zzorww_h0udud	5 ab <sup>-1</sup>
szeorsw_l0l	5 ab <sup>-1</sup>	zz_h0uu_notd	5 ab <sup>-1</sup>	zzorww_l0mumu	5 ab <sup>-1</sup>
sznu_l0mumu	5 ab <sup>-1</sup>	zz_l04mu	5 ab <sup>-1</sup>	zzorww_l0tautau	5 ab <sup>-1</sup>
sznu_l0tautau	5 ab <sup>-1</sup>	zz_l04tau	5 ab <sup>-1</sup>		
sznu_sl0nu_down	5 ab <sup>-1</sup>	zz_l0mumu	5 ab <sup>-1</sup>		
sznu_sl0nu_up	5 ab <sup>-1</sup>	zz_l0taumu	5 ab <sup>-1</sup>		
ww_h0ccbs	5 ab <sup>-1</sup>	zz_l0tautau	5 ab <sup>-1</sup>		
ww_h0ccds	5 ab <sup>-1</sup>				
ww_h0cuxx	5 ab <sup>-1</sup>				

up-type : u, c quarks

down-type : d, s, b quarks





# On-going task

- Summarize all backgrounds
  - Including 2-fermion backgrounds ( lepton final-state process )
  - Including 4-fermion backgrounds ( lepton and semi-lepton final-state process, at least has 2 leptons )
  - Request new background samples
    - With photon final state
- Study the usage of WHIZARD generators
  - Try to produce some validation sample at the first stage ( make sure right configuration )
  - Then start to produce needed backgrounds ( with photon )
- Signal samples are produced already, doing binning study now