The 32nd Texas Symposium on Relativistic Astrophysics



Contribution ID: 108

Type: Contributed talk in mini symposium

## Standing shocks in accretion flows around black holes and associated observational signatures

Friday, 15 December 2023 11:51 (12 minutes)

Low angular momentum flows around black holes are likely to form standing shocks during the accretion processes. The shocks possibly encounter instabilities leading to various observational signatures associated with inflows and outflows. In our work, we address a range of issues like flaring in under-luminous Sgr A\* with supermassive black hole and outflow properties in super-accretors like SS 433 and ultraluminous X-ray sources with stellar-mass black holes.

References:

- 1. T. Okuda , C.B. Singh, R. Aktar, 2023, MNRAS, 522, 1814.
- 2. T. Okuda , C.B. Singh C.B., R. Aktar, 2022, MNRAS, 514, 5074.
- 3. C.B. Singh, T. Okuda, R. Aktar, 2021, RAA, 21, 134.
- 4. T. Okuda, C.B. Singh, 2021, MNRAS, 503, 586.

**Primary authors:** SINGH, Chandra Bahadur (Yunnan University); Prof. OKUDA, Toru (Hokkaido University of Education)

Co-author: Dr AKTAR, Ramiz (National Tsing Hua University)

Presenter: SINGH, Chandra Bahadur (Yunnan University)

Session Classification: Accretion Processes